	Hits	Search Text	DB	Time stamp
umber			USPAT;	2004/08/19
uliber	402		US-PGPUB;	10:20
l			EPO; JPO;	•
			DERWENT;	
ļ			IBM_TDB	
		(	USPAT;	2004/08/19
	171	370/375.ccls.	US-PGPUB;	10:20
ļ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/08/19
	001	370/378.ccls.	USPAT;	10:20
	201	3/0/3/0.0010.	US-PGPUB;	10.20
			EPO; JPO; DERWENT;	
			IBM TDB	
			USPAT;	2004/08/19
	155	370/379.ccls.	US-PGPUB;	10:20
	155	<del>-                                   </del>	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
			USPAT;	2004/08/19
	153	370/370.ccls.	US-PGPUB;	10:21
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	0004/00/20
		(500 ·15	USPAT;	2004/08/19
_	1884	370/503.ccls.	US-PGPUB;	10:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/08/19
	100	370/369.ccls.	USPAT;	10:22
-	107	370/303.0013.	US-PGPUB;	10.22
			EPO; JPO; DERWENT;	
			IBM TDB	
	1	۱۸۰۰ و در		2004/08/19
	36950	TDM or (time adj division adj multiplex\$)	US-PGPUB;	10:23
-	1 30330		EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
		1. June 1 to 1 to 1	USPAT;	2004/08/19
_	7097	7 (circuit adj switch\$)	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	2004/08/19
		0 TSI or (time adj slot adj interchange)	USPAT;	1 4 4 4 4
-	428	O 131 OI (CIMO 22) WAR	US-PGPUB;	
	1		EPO; JPO; DERWENT;	
			IBM TDB	
			USPAT;	2004/08/19
	124	9 frame\$2 and subframe\$2 and clock	US-PGPUB	
_	123		EPO; JPO	, l =
		,	DERWENT;	
			IBM TDB	
1			USPAT;	2004/08/19
_	7064	address same counter	US-PGPUB	; 10:25
_			EPO; JPO	1
	1		DERWENT;	
}	1		IBM_TDB	
	ļ	52 (RAM or (random with access adj3 memory	)) USPAT;	2004/08/19
-	274	52   (RAM or (random with access days memor)		
		with buffer\$2	EPO; JPC	
			DERWENT	;
,	1		IBM TDB	

		time adi slot   USPAT;   2004/08/	19
	15   3	1 and (1/5) Of (Lime wa) 1 115.07	
}	a	adj interchange)) and (address same us-PGPUB; 15:27	
	ı		
Į.	a	adj3 memory)) with buffer\$2)	110
l		uspAT; 2004/08/	19
1	119	(TSI or (time adj slot adj interchange)) uSPAT; 2004/08/ and (address same counter) and ((RAM or uS-PGPUB; 10:35 and (address same adj3 memory)) with EPO; JPO;	
	\ ā	and (address same counter) and ((RAT of EPO; JPO; (random with access adj3 memory)) with DERWENT;	
		(random with access adjo memor), DERWENT;	
į	1	buffer\$2) IBM_TDB	/10
		(TSI or (time adj slot adj interchange)) USPAT; US-PGPUB; 10:28	/19
1	8	(TSI or (time adj slot adj interchange) and (address same counter) and ((RAM or use) adj memory)) with  [EPO; JPO;	
	1.	and (address same counter) and ((AAT) of EPO; JPO; (random with access ad) amemory)) with DERWENT;	
		(random with access adj3 memory) with buffer\$2) and (frame\$2 and subframe\$2 and IBM_TDB	
		buffer\$2) and (frame\$2 and subframe\$2 libm_TDB   IBM_TDB   2004/08	/19
		and (TST or (time ad) Slot   Obline 10.33	113
	1	adj interchange)) and (address same US-PGPUB; 10:33 adj interchange)) and (address same EPO; JPO;	
		adj interchange)) and (address same EPO; JPO; counter) and ((RAM or (random with access EPO; JPO; buffer\$2) and (frame\$2 DERWENT;	
ļ		counter) and ((RAM or (Fandom with domestic DERWENT; adj3 memory)) with buffer\$2) and (frame\$2 DERWENT; IBM_TDB	
1	ļ	adj3 memory)) with buriers2) and (Frame) IBM_TDB   1BM_TDB   2004/08	2/19
		and subframe\$2 and clock)  and subframe\$2 and clock)  USPAT; USPAT; USPAD; USPA	,,,,,
- \	4473		1
l		interchange\$2) EPO; JPO;	
		DERWENT;	
	1	IBM_TDB USPAT: 2004/0	8/19
		/ sime add slot\$2 add	-,
_	133	(TSI or (time adj slot\$2 adj interchange\$2)) and (address same interchange\$2)) and (address same EPO; JPO;	
	ļ	interchange\$2)) and (address same EPO; JPO; counter) and ((RAM or (random with access DERWENT;	1
		counter) and ((RAM or (Iandom with a DERWENT; adj3 memory)) with buffer\$2)	
		adj3 memory)) with buffer 2) IBM TDB USPAT: 2004/0	8/19
		1: -1 o+62 add	0, 21
_	119	(TSI or (time adj slot\$2 ad) US-PGPUB; 10:36 interchange\$2)) and (TSI or (time adj interchange\$2)) and (address same EPO; JPO;	
	1	interchange\$2)) and (TSI or (time ad) slot adj interchange)) and (address same slot adj interchange)) and (random with access DERWENT;	
		slot adj interchange)) and (address banks) counter) and ((RAM or (random with access counter) and () slot adj interchange)) and (address banks) DERWENT; IBM_TDB	
		counter) and ((RAM or (landom with state of the country)) with buffer\$2) adj uspAT; 2004/0	18/19
		adj3 memory)) with buffer \$21	
l <b>–</b>	15	(TSI or (time ad) S10072 day interchange\$2)) and 370/376.ccls. and interchange\$2)) and ((RAM or EPO; JPO;	
		interchange\$2)) and 3/0/3/6.ccis. dita	•
		(address same counter) and ((total) with (random with access adj3 memory)) with IBM_TDB	
1		(random with access adj3 memoly) with IBM TDB   LBM TDB	08/19
		bulletya, access adi3 memory)) obtility	
_	39261	1 (RAM or (random with access adjo memo-17) US-PGPUB; 15:25	
		same buffer\$2 EPO; JPO;	
		DERWENT;	
		IBM TDB	08/19
		10.27	
-	48	(TSI or (time adj slot) and 370/376.ccls. and us-pgpuB; 10:37 interchange\$2)) and 370/376.ccls. and Epo; JPO;	
Į.	1	interchange\$2)) and 3/0/3/6.ccis. data   EPO; JPO;   Gaddress same counter)   DERWENT;	
ļ		(address same counter)  DERWENT;	
1		IBM TDB	/08/19
1	_	access add3 memory/	6
-	15405	or storage or table or arrary) same US-PGPUB; 15:20	-
		or storage or table or arrary, same EPO; JPO;	
ļ.	1	buffer\$2 DERWENT;	
1		IBM_TDB USPAT; 2004	/08/19
		1 and (TST or (time ad) Side   001111	
-	2	23 370/376.ccis. and (131 address same adj interchange)) and (address same EPO; JPO;	
		adj interchange) and (address with EPO; JPO; counter) and ((storage or (memory)) with DERWENT;	
1		buffer\$2)   IBM_TDB	
			/08/19
1		I and (mgr or (time ad) Side (obline)	
-		9 370/376.ccis. and (151 of (1	
	ļ	adj interchange) and (address with EPO; JPO; counter) and ((storage or (memory)) with DERWENT;	
	1	buffer\$2) and stage\$2   IBM_TDB	
			4/08/19
		, (mgr or /time add Slot add)   Obition   last	
-		91 370.clas. and (TSI OI (time am counter)   US-PGPUB;   IS: interchange)) and (address same counter)   EPO; JPO;	
1	1	interchange)) and (address same output) EPO; JPO; and ((storage or (memory)) with buffer\$2) DERWENT;	
1		and stage\$2 IBM TDB	

			USPAT;	2004/08/19
	140	and that or think and proc and		15:36
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
			USPAT;	2004/08/19
l	233	370.clas. and (TSI or (time adj slot adj	US-PGPUB;	15:42
1	1	interchange)) and ((storage of (memory))	EPO; JPO;	
		) and TDM	DERWENT;	
			IBM TDB	
			USPAT;	2004/08/19
İ	728	370.clas. and (TSI or (time adj slot adj	US-PGPUB;	15:39
1	, 20	interchange)) and ((storage or (memory))	EPO; JPO;	10.05
		)	DERWENT;	
		1		
			IBM_TDB	2004/08/19
	683	370.clas. and (TSI or (time adj slot adj	USPAT;	15:40
	003	interchange\$2)) and ((storage or	US-PGPUB;	13.40
	ļ	(memory)) ) and frame\$2	EPO; JPO;	
		(memory)) and rrains)	DERWENT;	
			IBM_TDB	
		370.clas. and (TSI or (time adj slot adj	USPAT;	2004/08/19
	803	3/U.Clas. and (151 of (storage or	US-PGPUB;	16:09
	1	interchange\$2)) and ((storage or	EPO; JPO;	
		(memory)) )	DERWENT;	
			IBM TDB	
		i was a distant alot adi	USPAT;	2004/08/19
•	607	370.clas. and (TSI or (time adj slot adj	US-PGPUB;	15:41
		interchange)) and ((storage of (memory))	EPO; JPO;	
	1	) and frame	DERWENT;	
		<b>\</b>	IBM TDB	•
			USPAT;	2004/08/19
	254	370.clas. and (TSI or (time adj slot adj	US-PGPUB;	15:42
-	254	interchange\$2)) and ((storage or		132
		(memory))) and TDM	EPO; JPO;	·
	1	(memory)	DERWENT;	
			IBM_TDB	2004/08/19
	000	370.clas. and (TSI or (time adj slot adj	USPAT;	15:43
-	803	interchange\$2)) and ((storage or	US-PGPUB;	13:43
		(memory)))	EPO; JPO;	
	1	(memory)) /	DERWENT;	
			IBM_TDB	0004/00/10
		370.clas. and (TSI or (time adj slot adj	USPAT;	2004/08/19
-	5.5	I ( ) 1 mac2\\ and    S O due OF	US-PGPUB;	15:48
		(memory)) ) and frame\$2 and subframe\$2	EPO; JPO;	
		(memory))) and rrameys and sussessing	DERWENT;	
			IBM_TDB	
		370.clas. and (TSI or (time adj slot adj	USPAT;	2004/08/19
_	69	9 370.clas. and (TSI or (time ad) sits and	US-PGPUB;	
		- Land Name of the state of	EPO; JPO;	
		(memory))) and (digital adj cross adj	DERWENT;	
		connect\$3)	IBM TDB	
			USPAT;	2004/08/19
_	37	1 (TSI or (time adj slot adj	US-PGPUB;	
_		line amphango(2)) and ((Storage of	EPO; JPO;	
		(memory))) and stages and frame\$2	DERWENT;	
	1	·	IBM TDB	
	1		· -	2004/08/19
	2	1 (TSI or (time adj slot adj	USPAT;	1
-	'	lbangoe2\\ and ((storage of	US-PGPUB	
ļ		(memory))) and stages and frame\$2 and	EPO; JPO	'
		subframe\$2	DERWENT;	
		publiamede	IBM_TDB	2004/00/10
		(TSI or (time adj slot adj	USPAT;	2004/08/19
-	13	l l l l l l l l l l l l l l l l l l l	US-PGPUB	
1	1	(memory))) and (switch\$2 same stages)	EPO; JPO	•
		(memory))) and (Switching Same 2003)	DERWENT;	
			IBM TDB	
		14 -1-4-54-	USPAT;	2004/08/19
-	1	15 (TSI or (time adj slot adj	US-PGPUB	; 16:18
		1 + hand ((Storage Of	EPO; JPC	- 1
		(memory))) and (switch32 same stages)	DERWENT;	
	ı	and frame\$2		l l
	1	and frameve	IBM TDB	

		li -lat add	USPAT;	2004/08/19
-	12	(TSI or (time adj slot adj interchange\$2)) and ((storage or (memory)) ) and (switch\$2 same stages)	US-PGPUB; EPO; JPO; DERWENT;	16:23
-	9	(TSI or (time adj slot adj interchange\$2)) and ((storage or (memory)) same address) and (switch\$2	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/19 16:24
-	4	same stages) and (subframe\$2 with frame\$2) and (read or write) (TSI or (time adj slot adj interchange\$2)) and ((storage or write)) same address) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/19 16:56
-	8	<pre>(multistage\$2) and (subframe\$2 with frame\$2) and (read or write) and counter (TSI or (time adj slot adj interchange\$2)) and ((storage or (memory)) same address) and (switch\$2</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/19 17:06
-	36	<pre>(memory/) Same add (subframe\$2 with frame\$2) and (read or write) and counter (TSI or (time adj slot adj interchange\$2)) and ((storage or (memory)) same address) and (subframe\$2</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/19
-	35	<pre>(memory) same dudress) and ((read or write) with address) (TSI or (time adj slot adj interchange\$2)) and ((storage or (memory)) same address) and (subframe\$2 same frame\$2) and ((read or write) with</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/19